

REFERENCES

- Allchin, L. (2006). Caring for the dying: Nursing student perspectives. *Journal of Hospice & Palliative Nursing*, 8(2), 112-117.
- Antonovsky A. (1996) The salutogenic model as a theory to guide health promotion. *Health Promotion International* 11(1): 11-8.
- Avelin, P., Rådestad, I., Säflund, K., Wredling, R., & Erlandsson, K. (2013). Parental grief and relationships after the loss of a stillborn baby. *Midwifery*, 29(6), 668-673.
- Begley, C. (2003). 'I cried... I had to...': student midwives' experiences of stillbirth, miscarriage and neonatal death. *Evidence Based Midwifery* 1(1), 20-26.
- Brunelli, T. 2005. A concept analysis: The grieving process for nurses. *Nursing forum.*, 40, pp.123-128.
- Cameron, J., Taylor, J., & Greene, A. (2008). Representations of rituals and care in perinatal death in British midwifery textbooks 1937–2004. *Midwifery*, 24(3), 335-343.
- Clarke, V. and Braun, V. (2013) Teaching thematic analysis: Overcoming challenges and developing strategies for effective learning. *The Psychologist*, 26 (2). pp. 120-123. ISSN 0952-8229 Available from: <http://eprints.uwe.ac.uk/21155>
- Creswell, J (2009). *Research Design: Qualitative, Quantitative, and Mixed Methods approaches*. Los Angeles, CA: Sage.
- Davies, S., & Coldridge, L. (2015). 'No Man' s Land': An exploration of the traumatic experiences of student midwives in practice. *Midwifery*, 31(9), 858-864.
- Downe, S., Schmidt, E., Kingdon, C., & Heazell, A. E. (2013). Bereaved parents' experience of stillbirth in UK hospitals: a qualitative interview study. *BMJ Open*, 3(2), e002237.

Erlandsson, K., Warland, J., Cacciatore, J., & Rådestad, I. (2013). Seeing and holding a stillborn baby: Mothers' feelings in relation to how their babies were presented to them after birth—Findings from an online questionnaire. *Midwifery*, 29(3), 246-250.

Fenwick, J., Jennings, B., Downie, J., Butt, J., & Okanaga, M. (2007). Providing perinatal loss care: Satisfying and dissatisfying aspects for midwives. *Women and Birth*, 20(4), 153-160.

Gerow, L., Conejo, P., Alonzo, A., Davis, N., Rodgers, S. & Domian, E. W. (2010). Creating a curtain of protection: Nurses' experiences of grief following patient death. *Journal of Nursing Scholarship*, 42,122-129.

Gold, K. J., Kuznia, A. L., & Hayward, R. A. (2008). How physicians cope with stillbirth or neonatal death: a national survey of obstetricians. *Obstetrics & Gynecology*, 112(1), 29-34.

Heazell, A. E. P., McLaughlin, M. J., Schmidt, E. B., Cox, P., Flenady, V., Khong, T. Y., & Downe, S. (2012). A difficult conversation? The views and experiences of parents and professionals on the consent process for perinatal postmortem after stillbirth. *BJOG: an international journal of obstetrics & gynaecology*, 119(8), 987-997.

Kidd, P. S. & Parshall, M. B. 2000. Getting the focus and the group: Enhancing analytical rigor in focus group research. *Qualitative Health Research*, 10, 293-308.

Leyland, A. (2013). The midwife's role in caring for the needs of bereaved parents following a stillbirth. *The Practising Midwife*, 16(2), 20-22.

Lee, K. J. & Dupree, C. Y. 2008. Staff experiences with end-of-life care in the pediatric intensive care unit. *Journal of Palliative Medicine*, 11, pp.986-990.

Lindstrom, B and Eriksson, M (2006) Contextualizing salutogenesis and Antonovsky in public health development. *Health Promotion International*. 28 (3), 238-244. Available at: <http://heapro.oxfordjournals.org/content/21/3/238.full#sec-4> [Accessed 3 August 2016].

Mills, T. A. (2015). Improving support in pregnancy after stillbirth or neonatal death: IMPs study. *BMC Pregnancy and Childbirth*, 15(Suppl 1), A14.

Mitchell, M. (2005). Preparing student midwives to care for bereaved parents. *Nurse Education in Practice*, 5(2), 78-83.

Ness, V., Duffy, K., McCallum, J., & Price, L. (2010). Supporting and mentoring nursing students in practice. *Nursing Standard*, 25(1), 41-51.

Neuman, W. L. (2005). *Social research methods: Quantitative and qualitative approaches* (Vol. 13). Boston: Allyn and Bacon.

NMC (2012) *Standards for pre-registration midwifery education*. Available at: <https://www.nmc.org.uk/globalassets/sitedocuments/standards/nmc-standards-for-preregistration-midwifery-education.pdf> (Accessed: 23 July 2016).

Perez-Botella, M., Downe, S., Magistretti, M., Lindstrom, B and Berg, M (2015) The use of salutogenesis theory in empirical studies of maternity care for healthy mothers and babies. *Sexual and Reproductive Health*. 6, 33-39.

Puia, D. M., Lewis, L., & Beck, C. T. (2013). Experiences of obstetric nurses who are present for a perinatal loss. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 42(3), 321-331.

Roehrs, C., Masterson, A., Alles, R., Witt, C., & Rutt, P. (2008). Caring for families coping with perinatal loss. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 37(6), 631-639.

Sands (2015) *Stillbirths and neonatal death*. Available at: <https://www.uk-sands.org/research> (Accessed: 13 January 2016).

Sinclair, M. and Stockdale, J. (2011) *Achieving optimal birth using salutogenesis in routine antenatal education*. Available at: <https://www.rcm.org.uk/learning-and-career/learning-and-research/ebm-articles/achieving-optimal-birth-using-salutogenesis> (Accessed: 1 August 2016).

Wallbank, S., & Robertson, N. (2013). Predictors of staff distress in responses to professionally experienced miscarriage, stillbirth and neonatal loss: a questionnaire survey. *International Journal of Nursing Studies* 50, 1090-1097.

Wright, P. M., & Hogan, N. S. (2008). Grief theories and models: Applications to hospice nursing practice. *Journal of Hospice & Palliative Nursing*, 10(6), 350-356.

Wuthnow, R. (2012). *Acts of Compassion: Caring for others and helping ourselves*. Chicago: Princeton University Press.