Tables

Table 1 Summary of body mapping data gathering process.

Survey	Date(s)	No of Staff	When in the	Food & Garden
		Surveyed	day	Waste collect
1	30/11/10 to	70	End of shift	No
	02/12/10			
2	21/02/13	54	End of shift	Yes
3	24/09/14 to	89	End of Shift	Yes
	22/10/14			

Table 2 – Comparison of APC due to Activity (excluding foot, and head)

2010		2013		2014		
				Activity	APC	
Loaders-Baskets &	4.68			Loader, Mixture of	2.37	
Boxes Recycling				all activity		
		Loader - Food	1.84	Loaders – food	3.36	
		waste with slave		waste with slave		
		bin mainly		bins mainly		
Loader Wheeled Bins	3.00	Loader Wheeled	2.04	Loaders –wheeled	2.76	
Refuse + Sidewaste		Bins		bins		
				Loaders/Driver – all	2.33	
				activity		
Drivers – all activity	5.14	Drivers – all activity	2.18	Drivers – all activity	2.95	
Average for whole	4.02	Average for whole	2.07	Average for whole	2.80	
service		service		service		

Table 3 Comparison of APC (all pain).

Part of the body	APC 2010	APC 2013	APC 2014	
Head – including ear	0.17	0.00	0.01	
Arm including elbow	0.54	0.24	0.17	
Shoulder including neck	0.91	0.19	0.51	
Forearm including wrist	0.14	0.26	0.12	
Back (mainly lower)	0.86	0.33	0.64	
Hand and Fingers	0.20	0.13	0.06	
Chest	0.03	0.00	0.01	
Abdominal	0.07	0.17	0.03	
Upper Leg	0.17	0.11	0.25	
Knee	0.61	0.43	0.56	
Lower Leg and Ankle	0.49	0.22	0.45	
Foot and Toes	0.26	0.24	0.19	
Total	4.46	2.31	3.00	
Total less foot, toes and head ¹	4.02	2.07	2.80	
Percentage Response Rate ²	96	71	95	
Average Age (years) by those declaring	38.42	38.25	38.63	
Average length of Service by those declaring	6.20	5.88	8.03	
No of staff surveyed	70	54	89	

¹ Pain in these areas not associated with MSD injuries

² The percentage response rate is the total number of completed forms divided by the staff required to operate the service on a daily basis which was considered the most consistent metric

Table 4 APC, Highest by activity - - Roles are self identifying and indicate employees predominant activity

2010		2013			2014			
Activity	Part of the body	APC	Activity	Part of the body	APC	Activity	Part of the body	APC
Drivers	Shoulder including neck	2.07	Loader –Food Waste(Slave Bin)	Abdomen	0.67	Driving All Activity	Back (mainly lower)	1.05
Drivers	Back (mainly lower)	1.36	Loader –Food Waste(Slave Bin)	Lower Leg and Ankle	0.67	Mixed Activity - Loader Driver	Back (mainly lower)	0.78
Loader Boxes and Baskets	Shoulder including neck	1.12	Driving All Activity	Forearm and Wrist	0.57	Mixed Activity - Loader Driver	Lower Leg and Ankle	0.78
Loader Boxes and Baskets	Arm including elbow	0.96	Driving All Activity	Back (mainly lower)	0.57	Loader –Food Waste(Slave Bin)	Knee	0.73
Drivers	Knee	0.93	Loader -Wheeled Bins	Knee	0.48	Mixed Activity - Loader Driver	Knee	0.67
Loader Boxes and Baskets	Back (mainly lower)	0.76	Driving All Activity	Knee	0.48	Loader –Food Waste(Slave Bin)	Shoulder including neck	0.64
Loader Wheeled Bin/Bags	Back (mainly lower)	0.71	Loader-Wheeled Bins	Shoulder and Neck	0.40	Loader –Food Waste(Slave Bin)	Back (mainly lower)	0.64
Loader Wheeled Bins/Bags	Lower Leg/Ankle	0.55	Loader –Food Waste(Slave Bin)	Hand/Fingers	0.33	Loader –Food Waste(Slave Bin)	Lower Leg and Ankle	0.64